



X-CHAIN-LED 4x150W LED - 7M

Our engineers know that the market needs a lighting tower that is rugged, long lasting and safe. The X-CHAIN has been created beginning from these characteristics. It is the best solution to your needs and guarantees 2400 sqm of illuminated area. 33 units can be loaded on a standard truck. To all of this, we added the technology that allows for maximum fuel efficiency and reliability.











m 300 Kg 3

300 Kg 340

2400 sqm

power

- Multi-directionally adjustable and tiltable floodlights
- 5 sections vertical tower 7meters, 340° rotatable
- Manual lifting systm by winch complete with auto-braking system
- Galvanized metalworks
- 80 µm powder coating
- Very compact dimensions for easy handling & transportability, up to 33 units per truck
- Light weight for improved manoeuvrability
- Central lifting eye forklift pockets for effective handling
- Guided main coiled cable to avoid damage during tower operation
- Circuit breaker for electrical protection against overload
- Certified wind stability up tp 110 km/h
- 4 extendable & height adjustable stabilizers
- On board levels for guidance during stabilization
- Patented mast emergency brake which prevents the falling of the mast in case of cable falliure
- Winch cover
- Top electrical box protection cover
- 2 Retractable galvanized handles
- Light Sensor as standard feature
- Astronomical Timer as standard feature
- Bolted Central lifting eye
- Patented mast emergency brake which prevents the falling of the mast vin case of cable falliure

The first lighting tower in The first lighting tower in The first lighting tower in The first lighting that the market that the market to improve tented mast to improve tented system to improve horake system operators on safety of the operator number:

safety (Registration number:

102017000044431)

APPLICATIONS



Special events



Rural & hard to reach areas



Emergency response



Construction & work sites



Gas, oil & mining operations



Military applications




very compact dimensions for easy handling & trasportability up to 33 units per truck



33 Units Per Truck



You can place 33 units on a single vehicle thanks to one of the compactest footprints on the market.




technical data

Dimensions & weight	
Dimensions min. (mm)	1200x850x2100
Dimensions max. (mm)	1850x1450x7000
Total weight	300 Kg
Features	
Rotation	340°
Floodlights	4x150W
Lamps	LED

Input & output	
Inlet plug	32A - 230V
Outlet socket	32A - 230V
Tower lifting method	
	Manual
Trailer type	
	Hand trolley

Standard load delivery


33 sets



Units Per Truck

Illuminated area (5 lux min.)

2400 sqm





TRIME s.p.a.

Strada per Robecco, snc 20081 Cassinetta di Lugagnano (MI) - Italy Tel. +39 02 942 1724 www.trime.it - info@trime.it