


C02...AC

Bright steel rope 216 wires + steel core. Construction 6 (14+7/7+7+1) WS+WR. Right and left crossed.
UNI 7297-74. Resistance of wires: 180 kg/mm².

OPTIONAL


- Galvanization



Nominal diameter	Wires diameter	Breaking load	Weight
mm	mm	kN	kg/m
6	0,38	27,2	0,15
8	0,50	47,3	0,28
10	0,62	75	0,43
11	0,68	89	0,52
12	0,75	108	0,62
14	0,77	131	0,82
16	0,88	168	1,07
18	0,99	220	1,35
20	1,10	270	1,68
22	1,22	320	2,03
24	1,33	380	2,40
26	1,44	450	2,83
28	1,55	504	3,30
30	1,66	600	3,80
32	1,77	670	4,33

C02...LR

Bright steel rope 133 wires. Construction 19x7.
Lang lay or regular lay. Resistance of wires 200 kg/mm².




Rope diam.	Wires diam.	Sect.	Breaking load		Weight
mm	mm	mm ²	kN	kN ⁽¹⁾	kg/m
Lang lay					
6	0,38	16,5	26	26	0,15
8	0,51	29,3	48,1	46,1	0,27
10	0,64	45,7	72,1	72,1	0,41
11	0,70	55,3	87,2	87,2	0,50
12	0,76	65,8	104	104	0,60
13	0,83	77,3	122	122	0,70
14	0,89	89,6	141	141	0,81
16	1,02	117	185	185	1,06
18	1,15	148	234	234	1,34
Regular lay					
20	1,27	183	288	281	1,66
22	1,40	221	349	340	2,01
24	1,53	263	415	405	2,39
26	1,65	309	487	475	2,81

(¹) Galvanised type.

C02...AR

Bright steel rope 216 wires "compacted strands", high resistance, with metal core.
Resistance of wires: 220 kg/mm²



Nominal diameter	Wires diameter	Breaking load	Weight
mm	mm	kN	kg/m
10	0,59	90,2	0,45
11	0,66	111	0,55
12	0,72	132	0,67
13	0,78	153	0,78
14	0,84	176	0,90
16	0,96	240	1,18
18	1,08	294	1,48
20	1,20	367	1,85
22	1,32	443	2,25
24	1,41	525	2,50
26	1,53	613	3,04
28	1,64	704	3,64
30	1,76	809	4,20

C02...AT

Bright steel rope. Construction 35x7. Resistance of wires 220 kg/mm².



Nominal diameter	Wires diameter	Breaking load	Weight
mm	mm	kN	kg/m
8	0,40	49,2	0,26
10	0,50	77	0,42
12	0,60	110,8	0,60
14	0,70	150,9	0,82
16	0,80	197,1	1,07
18	0,90	249,4	1,36
20	1,00	308	1,68
22	1,10	372,6	2,03
24	1,20	443,5	2,42
26	1,30	520,5	2,84
28	1,40	603,6	3,29
30	1,40	693	3,78

Dimensions and weights are without optional devices. All data may change without notice. Images and drawings are indicative only.