


C141



Reel-stand with hydraulic lifting system controlled by pedal. The stands are supplied in pairs.

	Max load	Reel diameter	Base	Shaft Ø	Weight
	kg	mm	mm	mm	kg
C141.18	1800	700-2000	42x30	60	24
C141.30	3000	800-2500	54x34	75	55
C141.50	5000	1000-3200	80x40	75	88
C141.100	10000	1350-3600	100x50	90	100


C141.A



Shaft made of galvanized steel tubular with ball bearings.

	Diameter	Length	Max load	Weight
	mm	mm	kg	kg
C141.A60.15	60	1500	1800	18,0
C141.A75.15	75	1500	3000/5000	14,6
C141.A75.18	75	1800	3000/5000	18,5
C141.A90.15	75	2050	3000/5000	19,6
C141.A90.18	90	1500	10000	18,5
C141.A90.20	90	1800	10000	22,2


C141.B



Galvanized steel collar.

	for spindle Ø	Weight
	mm	kg
C141.B60	60	1,2
C141.B75	75	1,5
C141.B90	90	1,7

C141.C



Centering cone.

	for spindle Ø	for reel hole Ø	Weight
	mm	mm	kg
C141.C60	60	65-11	3
C141.C75	75	85-130	7
C141.C90	90	110-150	8,5

Dimensions and weights are without optional devices. All data may change without notice. Images and drawings are indicative only.