



S LUB 20

TECHNICAL INFORMATION

S LUB 20 is a special lubricant for fiber optical installation for min and micro cable with blowing machine. It's a water emulsion of different kind of polymers.

S LUB 20 is a water base product with high efficiency of lubricant. It's reduce dramatically the friction. **S LUB** is white liquid little bit viscosity.

S LUB 20 adhere perfectly at the cable surface or at the internal surface of the pipe. It's leave a very tiny film of lubricant and does not make the glue effect.

Product Use: Cable and Duct Prelubrication

Suggest Uses quantities for 1000m :

diam Ø mm internal pipe	Quantities of product
20 – 30 mm	600 ml
30 - 40 mm	700 ml
40 - 50 mm	1000 ml

The real quantities can be change due to a condition of the pipe or how is difficult the pipe long.

Use:

Shake the bottle before use, then put the product inside in the pipe. Then pre-lubricant the pipe with a little piece of sponge.

The product is also suitable for blowing machine with oil dispenser to lubricating the fiber during the pushing.

The **S LUB 20**, also can be useful to lubricate the fiber optic before or after blowing machine. It's depend on the appliance with iron wheel or with rubber wheel.



Technical Specification:

Aspect	White liquid tiny viscosity
Odour	none
Viscosity	120 sec. Ford cup diam. mm 4 at 20C°
Spefigic gravity	1,030 +- 0,03 gr/cm ³
pH	7,5 +- 0,5
Inflammability	non infiammabile
Temperature	-5° + 70° C.
Biodegradability	Biodegradability above 90%
Toxic	The product is not toxic.